



# PRODUCT SPECIFIER



**Ergonomic Workstations & Accessories** 



# WORKSTATIONS THAT INSPIRE PRODUCTIVITY.

We'll help you find the right ergonomic workstations for your

company. You'll receive innovative solutions that fit your exact

specifications for performance, productivity and aesthetics. You'll

also get the easiest to assemble, longest lasting, American-made

workstations on the market. Then, you can get back to business.



Quad Station



PedSys Work Bench, Left-Side Storage



C-Leg Stations with Add-on Corner

Since 1995, **PRODUCTION BASICS** has manufactured **ERGONOMIC WORKSTATIONS** and accessories that **INSPIRE PRODUCTIVITY**. We offer a variety of products that are designed to bring **EFFICIENCY**, **PRODUCTIVITY** & **PROFESSIONALISM** to your manufacturing, material handling or laboratory environment.







5>>

Workstations are not just TABLES, they are TOOLS FOR PRODUCTIVITY. An ORGANIZED, ergonomic WORKSPACE for your operators means a happier, MORE FOCUSED employee. It means GREATER JOB SATISFACTION and fewer workers' compensation claims in a GREAT LOOKING FACILITY that operates at PEAK EFFICIENCY.










A worksurface is a key component to the success of your workstation. It is dictated by what you are doing in your work area everyday. Production Basics allows you to have flexibility with your work bench by offering stand-alone surface choices. This includes not only worksurface materials, but edge styles too.

For help with choosing a material, size and how to integrate your surfaces with your preferred style of work bench, contact a Workstation Specialist at Production Basics.



#### General Information - Worksurfaces

- Stock color for standard laminate worksurfaces is White. Stock color for ESD laminate is Grey.
- Other laminate colors available upon request at no additional charge are Grey and Beige standard laminate; Beige and White ESD laminate.
- Custom laminate colors are available at an additional charge. Call to discuss your options.
- Phenolic Resin worksurfaces are available in Black only.
- For "Add-on" item numbers, order your workstation style and the "Add-on" item number together.
- Unless noted, worksurface depth (D) is always specified first in dimension notation. Worksurface width (W) is specified second.



# WORKSURFACES > PRODUCT DETAILS

Product Details	Desciption	Dimensions	ter Mund	N <sup>NE®</sup>
		24"D x 36"W	8066	
		24"D x 48"W	8059	
		24"D x 60"W	8062	
		24"D x 72"W	8065	
	Standard Laminate	24"D x 96"W	8063	
	Worksurface	30"D x 36"W	8049	
	Industrial grade core with high-pressure	30"D x 48"W	8050	
	plastic laminate. Finished with rounded	30"D x 60"W	8053	
	corners and protective T-mold edge.	30"D x 72"W	8056	
	1.25" thick.	30"D x 96"W	8058	
		36"D x 36"W	8084	
		36"D x 48"W	8085	
		36"D x 60"W	8086	
		36"D x 72"W	8087	
		36"D x 96"W	8087	
		24"D x 36"W	8078 -	1
		24"D x 48"W	8077	
		24"D x 60"W	8080	
		24"D x 72"W	8083	
	ESD Laminate Worksurface	24"D x 96"W	8082	
	Industrial grade core with high-pressure	30"D x 36"W	8067	
	static dissipative laminate with rounded	30"D x 48"W	8068	
	corners and protective T-mold edge.	30"D x 60"W		<ul> <li>includes a standard grou</li> </ul>
	Measures within the range of $10^6$ to $10^9$ .	30"D x 72"W	8074	bolt & wire
	Includes a standard ground bolt & wire to	30"D x 96"W	8076	
	ensure positive charge drainage. 1.25" thick.			
		36"D x 36"W	8069	
		36"D x 48"W	8090	
		36"D x 60"W	8091	
		36"D x 72"W	8092	
		36"D x 96"W	8098 -	
		24"D x 36"W	7960	
		24 D x 30 W 24"D x 48"W	7961	
		24 D x 48 W 24"D x 60"W	7962	
		24 D x 00 W 24"D x 72"W	7962	
		24 D x 72 W 24"D x 96"W	7963	
	<b>Bullnose Laminate</b>	27 DA 20 W	/ 204	
$\sim$	Worksurface	30"D x 36"W	7965	
	Industrial grade core worksurface with	30"D x 48"W	7966	
	high-pressure plastic laminate and a 180-	30"D x 60"W	7967	
	degree laminated, radius edge in front for a	30"D x 72"W	7968	
	comfortable work area. 1.25" thick.	30"D x 96"W	7969	
		36"D x 36"W	7970	
		36"D x 48"W	7971	
		36"D x 60"W	7972	
		36"D x 72"W	7973	
		36"D x 96"W	7974	

### WORKSURFACES > PRODUCT DETAILS

Product Details	Description	Dimensions	iten with	Koles
		24"D x 36"W	7980	
		24"D x 48"W	7981	
		24"D x 60"W	7982	
		24"D x 72"W	7983	
		24"D x 96"W	7984	
	Bullnose Laminate, ESD	30"D x 36"W	7985	
	Industrial grade core worksurface with	30"D x 48"W	7986	
	high-pressure ESD laminate and a 180-	30"D x 60"W	7987	in alu dag atau dand anaun d
	degree laminated, radius edge in front for	30"D x 72"W	7988	• includes standard ground bolt & wire
	a comfortable work area. ESD laminate measures within the static dissipative range	30"D x 96"W	7989	bon & whe
		36"D x 36"W	7990	
1	of $10^6$ to $10^9$ . 1.25" thick.	36"D x 48"W	7990	
		36"D x 60"W	7992	
		36"D x 72"W	7992 7993	
1		36"D x 96"W	7993 7994	
				-
		24"D x 36"W	7900	
		24"D x 48"W	7901	
		24"D x 60"W	7902	
		24"D x 72"W	7903	
		24"D x 96"W	7904	
	Stainless Steel, T-mold edge	30"D x 36"W	7905	
	Worksurface	30"D x 48"W	7906	
	Durable and clean stainless steel is ideal	30"D x 60"W	7907	
	for packaging and cleanroom applications.	30"D x 72"W	7908	
	We provide a 16 gauge, 1/16" thick, Type 304 polished stainless steel skin on top of	30"D x 96"W	7909	
	industrial particle board. Finished with a	36"D x 36"W	7910	
	T-mold edge.	36"D x 48"W	7911	
		36"D x 60"W	7912	
		36"D x 72"W	7913	
		36"D x 96"W	7914	
		24"D x 36"W	7930	
		24"D x 48"W	7931	
		24"D x 60"W	7932	
		24"D x 72"W	7933	
		24"D x 96"W	7934	
	Stainless Steel, Wrap Edge	30"D x 36"W	7935	
	Worksurface	30"D x 48"W	7936	
	Durable and clean stainless steel is ideal	30"D x 60"W	7937	
	for packaging and cleanroom applications.	30"D x 72"W	7938	
	We provide a 16 gauge, 1/16" thick, Type 304 polished stainless steel skin on top of	30"D x 96"W	7939	
	industrial particle board. Wraps around all	36"D x 36"W	7940	
	corners at 90 degrees.	36"D x 48"W	7941	
		36"D x 60"W	7942	
		36"D x 72"W	7943	
		36"D x 96"W	7944	

# WORKSURFACES > PRODUCT DETAILS

Product Details	Description	Dinensions	Hen Number	1085
	Hardwood Butcher Block Worksurface Hardwood butcher block worksurface is 1.75" thick with a durable lacquered finish. Ideal for heavy-duty applications, repeated impact and sharp tools or products.	30"D x 48"W 30"D x 60"W 30"D x 72"W 30"D x 96"W 36"D x 48"W 36"D x 60"W	8040 8041 8042 8046 8043 8044	
	Phenolic Resin Worksurface Chemically resistant, homogeneous	36"D x 72"W 36"D x 96"W 30"D x 48"W 30"D x 60"W	8045 8047 8001 8002	
	phenolic worksurface is 1" thick. Ideal for lab environments. Black only.	30"D x 72"W 36"D x 48"W 36"D x 60"W 36"D x 72"W	8003 8006 8004 8005	
	<b>Ergo Add-on</b> Unique laminate worksurface for C-Leg Series Workstations. Features a 6" indentation in the front center, reducing an operator's reach area. Order with full workstation packages.		8978	
	<b>Comfort Edge Add-on</b> Durable high-density polymer edge contoured in front for operator comfort. Order with full workstation packages.		8998	
	<b>Bullnose Add-on</b> Worksurface features a 180-degree laminated radius edge for a safe and comfortable work area. Finished with laminate on the front and PVC on sides and back in a matching color. Order with full workstation packages.		8982	
	<b>Ball Transfer</b> Used to move and position products weighing in excess of 20 lbs. Fixed and pneumatic 1" omni-directional steel units are available in a variety of patterns specific to your application.			call to discuss your options
\	<b>ESD Quad Jack</b> Plug your wrist strap into this jack for static protection.			individually packaged installed on left side of table

#### The Fine Print

**Payment Terms** NET 30.

NET 5

#### Prices

Prevailing at the time of shipment unless otherwise noted.

#### Colors

Unless otherwise noted, stock frame color is Blue. Other colors available are Grey, White, Almond and Black. Stock color for standard laminate worksurfaces is White. Stock color for ESD laminate is Grey. Other laminate colors available upon request at no additional charge are Grey and Beige standard laminate; Beige and White ESD laminate. Custom laminate colors are available at an additional charge. Optional color schemes are available and must be specified at the time of order.

#### **Minimum Order**

\$100

#### **Special Orders/Custom Options**

All items listed in this price list are standard. Any variation to these standard items, including frame or laminate color, must be special ordered. Please consult with us about your requirements. Returns of special order/custom products are not accepted.

#### **Orders and Cancellations**

All orders must be placed through a Production Basics authorized distributor. Verbal purchase orders are not accepted. Products ship knocked-down (KD) by truck. FOB Billerica, MA. Changes and cancellations may not be accepted after an order is placed with Production Basics. For assistance with your workstation choices prior to placing an order, call Production Basics or your authorized distributor.

#### **Product Improvements**

Production Basics reserves the right to change the details of design, material and finish in any way that will not reduce function or performance.

#### **Discontinued Products**

Product specifications featured in this Product Specifier are available at the time of printing. Production Basics reserves the right to discontinue products at any time for any reason.

#### Returns

NO MERCHANDISE WILL BE ACCEPTED FOR RETURN WITHOUT PRODUCTION BASICS' PRIOR APPROVAL. Return Merchandise Authorizations (RMA) must be requested by the customer within ten (10) days of receipt of merchandise. Returned goods must be sent freight prepaid within 30 days of the issuance of an RMA. Returns will be subject to a 25% restocking charge. RMAs are NOT issued for custom products.

#### Shortages and Damages

Upon receipt of product, check against bill of lading for correct number of pieces and inspect for obvious damage before signing delivery receipt. Shortages, errors and damage must be reported to Production Basics within 24 hours of receipt of merchandise. Any damage claims must be filed with carriers immediately upon receipt. Do not destroy packaging materials; they must be available for inspection by the carrier. Production Basics will cooperate with the purchaser on filed claims.

#### Warranty

This warranty covers any defect in material or workmanship in mechanical or structural parts given normal use and care. With the exceptions noted, this warranty lasts ten (10) years from the original date of purchase for all parts and components manufactured by Production Basics. Production Basics, Inc. will replace or repair the item without any cost for parts within the time frame noted from the original date of purchase: LED Bulbs- Warranty not covered by Production Basics. Contact bulb manufacturer within five (5) days of defect identification. Easy Lift Series- One (1) year.

All other Products- Ten (10) years.

#### What is Not Covered

This warranty does not cover damage by misuse, accident, unauthorized repair or modification. Also, consequential and incidental damages (including but not limited to: lost profits, lost sales and injury to property) are not recoverable under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is the exclusive express warranty and any representations or promises inconsistent with, or in addition to, this warranty are unauthorized and shall not be binding on Production Basics, Inc. Finally, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED IN DURATION FOR A PERIOD OF TEN YEARS FROM THE DATE OF PURCHASE BY THE ORIGINAL CONSUMER. Some states do not allow limitations on how long an implied warranty lasts so the above limitation or exclusion may not apply to you.

#### Service

To obtain repair or replacement under this warranty, you must contact Production Basics, Inc., informing us of the defect.

